

m o o o i[®]



Cocktail Chair

by Marcel Wanders

Mix the lightness of your favourite cocktail with the weight of Dutch historical heritage, while comfortably lounging in Marcel Wanders' Cocktail chair.

Designer	Marcel Wanders
Year of design	2013
Material	Moulded foam on steel frame with oak legs



cleaning instructions

Moooi recommends using a good furniture polish and a soft cloth. Apply generously in layers to the surface and use the cloth to shine. Do not use abrasive fabrics, gently remove tough stains with warm water and a trusted multi-surface cleaner.

packaging

H 75,5 cm | 0"

W 75,5 cm | 29,7"

D 73 cm | 28,7"

Colli 1/1


With packaging:

15 KG | 33,1 lb

dimensions

m o o o i[®]

74cm | 29,1"



73cm | 28,7"

69cm | 27,2"




38cm | 15"




48cm | 18,9"

colours



Wood Stained
Cinnamon



Wood Stained
White Washed

Macchedil, Grezzo

m o o o i[®]

composition

47% co, 20% vi, 18% pi, 8% li, 5% pc, 2% af


abrasion

18.000 martindale

lightfastness 4

firetest

EN1021 I&2

	Macchedil Grezzo Black indigo		Macchedil Grezzo Pinkish		Macchedil Grezzo Off white		Macchedil Grezzo Light grey
	Macchedil Grezzo Light brown		Macchedil Grezzo Grey grey		Macchedil Grezzo Anthracite		Macchedil Grezzo Blue grey
	Macchedil Grezzo Cappuccino		Macchedil Grezzo Deepblue				

Macchedil, Sottile

composition

49% vi, 24% pl, 21% li, 6% co




abrasion


30.000 martindale

lightfastness 4


firetest

EN1021 I&2

	Macchedil Sottile Black indigo		Macchedil Sottile Pinkish		Macchedil Sottile Off white		Macchedil Sottile Light grey
	Macchedil Sottile Light brown		Macchedil Sottile Grey grey		Macchedil Sottile Anthracite		Macchedil Sottile Blue grey



Macchedil Sottile
Cappuccino



Macchedil Sottile
Deep blue

Abbracci

composition

100% pl


abrasion

50.000 martindale


lightfastness 4

firetest


FR BS5852 0/I
EN1021 I&2



Abbracci
Black




Abbracci
Brown



Abbracci
Grey



Abbracci
Oyster



Abbracci
Taupe

Oray

composition

8% co, 38% vi, 15% pl, 39% li


abrasion

30.000 martindale


lightfastness 4

firetest


FR BS5852 0/I
EN 1021 I&2



Oray
Cream



Oray
Sand



Oray
Rock



Oray
Mineral



Oray
Gravel




Oray
Dark Gull



Oray
Copper




Oray
Rust




Oray
Flamboyant




Oray
Oil




Oray
Aqua



Oray
Peyote




Oray
Ocean




Oray
Metal



Oray
Griffin




Oray
Dusk




Oray
Chestnut



Oray
Dark



Oray
Indigo



Oray
Ochre

Heritage



Bouclé

composition

43% co, 28% pan, 14% pa, 12% vi, 3% pl


abrasion

20.000> martindale

lightfastness 4

firetest


EN1021 I&2




Bouclé
Black white



Bouclé
Rainbow



Bouclé
Brown



Bouclé
Blue

Jacquard andaz

**composition:**

34% cotton - 30% viscose - 24% linen - 12% polyamide

abrasion:

25000 martindale

lightfastness 4-5

firetest:

BS EN 1021 1&2



Jacquard
Andaz

Jacquard Fresco

composition

40% vi ,36% co,14% pl, 10% li

abrasion

20.000> martindale

lightfastness 4-5

firetest

EN1021 1&2



Jacquard
Fresco

Jacquard Old Black & Blue

composition

52% vi, 38% co, 10% li

abrasion

20.000> martindale

lightfastness 4-5

firetest

EN1021 1&2



Jacquard
Old Blue



Jacquard
Old Black

Liscio

composition

35% WO / 35% CV / 21% CO/ 9% PA

abrasion

30.000 Martindale

lightfastness


4-6

firetest


US. Cal. Bull. 117-2013

Upon request, with treatment:


BS5852 part1




Liscio
**Grigio Blu
Scuro**



Liscio
Grigio Blu



Liscio
Grigio Scuro



Liscio
Muscio Scuro




Liscio
Muscio



Liscio
Argento




Liscio
Nebbia



Liscio
Pietra



Liscio
Perla



Liscio
Latte Scuro



Liscio
Latte

Trickle

m o o o i[®]

composition

60% WO / 20% PES / 20% PA

abrasion

80.000 martindale

lightfastness 6

firetest

EN1021-1/2


US. Cal. Bull. 117-2013

BS5852 part1


DIN 4102-B2



Trickle
Flour




Trickle
Twig




Trickle
Peat



Trickle
Dust



Trickle
Slate



Trickle
Chili



Trickle
Lavender



Trickle
Lagoon

Twill

composition

72% wo, 8% pa, 20% pl

abrasion

75.000 martindale


lightfastness 5

firetest


EN1021 1&2



Twill
Caviar




Twill
Graphite




Twill
Grass




Twill
Grey




Twill
Linen



Twill
Natural



Twill
Passion



Twill
Walnut

Twill Melange

m o o o i[®]

composition

60% WO / 20% PES / 20% PA

abrasion

80.000 martindale

lightfastness 6-7


firetest

EN1021-1/2

US. Cal. Bull. 117-2013

BS5852 part1


DIN 4102-B2




Twill Melange
Chili



Twill Melange
Dust




Twill Melange
Flour




Twill Melange
Lagoon




Twill Melange
Lavender



Twill Melange
Peat



Twill Melange
Slate



Twill Melange
Twig

Velour

composition

77% wo, 8% pa, 15% pl

abrasion


100.000 martindale

lightfastness 7


firetest

FR BS5852 0/1


EN1021 1&2



Velour
Coral



Velour
Stone



Velour
Moss

Solis

m o o o i[®]

composition

2% PA 3% PC 30% PL 65% WO

abrasion

40.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

firetest


EN 1021-1/2

US. Cal. Bull. 117-2013


Upon request, with treatment:

BS5852 part I

BS5852 crib5



Solis
Crust



Solis
Dawn



Solis
Fog




Solis
Gray



Solis
Paper




Solis
Rain



Solis
Spencer



Solis
Suit



Solis
Sunset

Justo

composition

15% CO, 35% PC, 10% PL, 40% VI

abrasion

50.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

fire test

EN 1021-1/2


US. Cal. Bull. 117-2013

NFPA 260


Upon request, with treatment:

BS5852 part I


BS5852 crib5




Justo
Alge




Justo
Bazalt




Justo
Bred



Justo
Flod




Justo
Hinde




Justo
Lyse




Justo
Muse



Justo
Nat



Justo
Sennep



Justo
Sten

Vesper

composition

10% CO, 40% L, 10% PA, 10% PL, 30% VI

abrasion

40.000 Martindale rubs, EN ISO 12947

lightfastness

Note 5, EN ISO 105-B02

firetest

EN 1021-1/2

US. Cal. Bull. 117-2013


Upon request, with treatment:

BS5852 part I


BS5852 crib 5




Vesper
Aluminium



Vesper
Brass



Vesper
Bronze




Vesper
Carbon



Vesper
Nickel



Vesper
Silver



Vesper
Steel



Vesper
Titan

Kvadrat Fabrics



Kvadrat Fabrics

Selected Moooi products can be upholstered with a collection of Kvadrat fabrics. Kvadrat designs high-quality upholstery, in an extensive range of colours and textures.

Go to our Kvadrat fabrics page for a full overview of all fabric families you can choose from.

