Amorevole C176



Vers. N46




Vers. N50+N38+076+291+291+049



Vers. N54

Amorevole C176

SCHEMATICS



Amorevole C176

TECHNICAL INFORMATION

*	COVERING	Leather 🔽	Soft Cover			
#	LEGS	Wood	Metal	Plastic 🔽	Castors	Upholstered
4	FILLING		Fiber Seat Foam Feather/Fiber Mix Feather	Cushion Fiber Foam Feather/Fibe	Back cushion	☐ Fiber ✓ Foam ☐ Feather/Fiber Mix ☐ Feather
<u>\$</u> 1	COMFORT	Standard Comfort	Firm Comfort			
*	FUNCTION	Bed	Electric motion	Motion	Recliner	Sliding
*	OPTIONS	Nails	Removable	Contrast Stitching		
4	WRINKLES & VISUAL APPEARANCE	Low	Medium	High		
WRINKLES & VISUAL APPEARANCE						

Due to a combination of the elasticity of the covering, the nature of the interior construction and the design for comfortability of the product, the model may exhibit differing levels of wrinkles.

Hiah

The models need to be dressed on a regular basis to maintain their appearance and the wrinkles should not be considered as a manufacturing defect, but a natural characteristic of the product.

NOTES

Low

- CUBICOMFORT [™] Triple-Motion Technology is a registered trademark. It denotes a set of independent motion systems that activate the various elements of the sofa (seat, backrest, headrest and footrest) allowing each person to adjust their position of absolute comfort to the millimeter.
- Dual power mechanism with external switch on the side panel that activates recliner and headrest and includes an USB charging port
- All arms, back and seat surfaces are covered in Top Grain.

Medium

- This model is available with split leather exterior covering (Side, Rear and Front Panels)
- Tight Seat Cushion (the seat cushions of the models are fixed to the frame)
- Tight Back Cushion (the back cushions of the models are fixed to the frame)
- With Leather Side (the sectional pieces come with leather sides)
- Internal wooden frame
- Without Feet Assembled (the feet will be in a bag inside the package)
- Plastic Wrap (the model will be wrapped in a plastic bag)
- Feet height 4,0 cm

NOTES

Amorevole C176