



Luminator

Designed by Achille and Pier Giacomo Castiglioni, 1954



Floor lamp providing indirect light. Bulb with reflector. Iron stem with painted finish. Painted galvanized metal legs.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607047064
Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSR
Number of heads	1
Power (W)	105

Physical

Colour	Rea
Length (mm)	500
Cord length (mm)	2800
Net weight (kg)	3.7
Package height (mm)	120
Package width (mm)	1515
Package length (mm)	140
Package volume (m3)	0.03
IP internal	20



Download

Mounting instructions	业 PDF
Spare Parts	业 PDF

Photometric Files

LDT / IES

₺ LDT

Technical Drawings

reenmear bravings	
2D	₹ ZIP
3D	⊥ ZIP



















Photometric

Lighting type	Indirect	
Light distribution	Symmetric	

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type C
Batteries inside	No

Notes

Dimmable Switch included



NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V 2700K R125

Spare Parts



- 01. Leg with Ring for Luminator Black RF3770231
- 02. Led rondo' dimmer 220/240v 40- RF28045 250w 4-100w

DOWNLOAD



RF28045 Led rondo' dimmer 220/240v 40-250w 4-100w

RF3770231

Leg with Ring for Luminator Black