



Ray Suspension

Designed by Rodolfo Dordoni, 2007



Halogen - 250W

Suspension lamp providing direct or diffused lighting. Chrome-plated metal structure and lathe-shaped aluminum diffusers, painted white on the inside, and shiny white or black on the outside or gray-colored, blown and overlaid glass with glossy external finish. Liquid paint protection. Opal blown glass inner diffuser. White painted steel ceiling attachment protected with transparent paint, and polished aluminum cover.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

270 mm 2700 mm 6 430 mm

Main specifications

EAN	8059607020807	
Mounting	Suspension	
Environments	Indoor dry location	
Light Source Type	Bulb	
Lamp category	Halogen	
Lamp holders	E27	
Ilcos	HSGS	
Number of heads	1	
Power (W)	250	

Physical

Colour	Glass
Length (mm)	430
Cord length (mm)	2700
Net weight (kg)	6.8
Package height (mm)	575
Package width (mm)	500
Package length (mm)	575
Package volume (m3)	0.17
IP internal	20

Download

Download	
Mounting instructions	业 PDF
Spare Parts	⊥ pDF

Photometric Files

LDT / IES



Technical Drawings

2D	₹ ZIP
3D	⊥ ZIP



20

















https://professional.flos.com/en/global/product/ray-suspension-f5930020/

F5930020

Schematic light drawing



Photometric

Lighting type	Indirect, Direct	
Light distribution	Symmetric	

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No





NOT INCLUDED

RF26998


LED 21W E27 2450lm 3000K DIMMER

NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable

Spare Parts



01.	Ceiling rose assembly	RF5931100
02.	Kit with brass wire clamps and	RF6110800
	screws	
03.	5 meter sil/fep 2x0,75	RF4190200
	transparent electrical cable	
04.	4mt steel wire Ø1,2 with 19	RF01089
	winded wires	
04.	3 mt steel cable ø1,2 with 19	RF29665
	winded wires	
05.	Ceramic lamp holder E27	RF10346
06.	Transparent external diffuser	RF16978
	support	
07.	Internal diffuser assembly	RF5931200
08.	Ray Suspension/Floor 2 glass	F5923020
	diffuser	

DOWNLOAD







Kit with brass wire clamps and screws





4mt steel wire Ø1,2 with 19 winded wires



RF5931100

Ceiling rose assembly



F29665

3 mt steel cable ø1,2 with 19 winded wires



DE10246

Ceramic lamp holder E27



0016070

RF4190200

5 meter sil/fep 2x0,75

transparent electrical cable

Transparent external diffuser support



RF5931200

Internal diffuser assembly



F5923020

Ray Suspension/Floor 2 glass diffuser