Sollievo B845




■ Vers. 239



NATUZZI EDITIONS

Sollievo B845

SCHEMATICS



COMPOSITION EXAMPLES





Sollievo B845

TECHNICAL INFORMATION

*	COVERING	Leather	Soft Cover ✓			
#	LEGS	Metal 🗸	Wood ✓	Upholstered	Castors	Plastic
4	FILLING	Arms [Fiber Sea Foam Feather/Fiber Mix Feather	at cushion Fiber Foam Feather/Fiber Feather	Back cushion	Foam Feather/Fiber Mix Feather
L	COMFORT	Standard Comfor	t Firm Comfort			
*	FUNCTION	Bed	Electric motion	Motion	Recliner	Sliding
*	OPTIONS	Nails	Contrast Stitching	Removable		
4	WRINKLES & VISUAL APPEARANCE	Low ✓	Medium	High		
WRINKLES & VISUAL APPEARANCE						
Due to a combination of the elasticity of the covering, the nature of the interior construction and the design for comfortability of the product, the model may exhibit differing levels of wrinkles.						
4	High		ow	Medium		
The models need to be dressed on a regular basis to maintain their appearance and the wrinkles should not be considered as a manufacturing defect, but a natural						

The models need to be dressed on a regular basis to maintain their appearance and the wrinkles should not be considered as a manufacturing defect, but a natural characteristic of the product.

NOTES

- Available in leather or fabric.
- Contrast stitching is available only with certain covers and option is managed directly in NARES.
- All arms, back and seat surfaces are covered in Top Grain.
- This model is available with split leather exterior covering (Side, Rear and Front Panels)
- Tight Seat Cushion (the seat cushions of the models are fixed to the frame)
- Back Cushion Zippered (the back cushion is attached to the frame through a zipper)
- No Leather Side (the sectional pieces have the side covered with lining and not leather)
- Internal wooden frame.
- Feet requires assembling. Feet will be in a bag inside the package.
- The model will be wrapped in a plastic bag.
- Second option versions have feet available in metal finishing 75 (Glazed Nickel) / 79 (Matte Black)
- Feet height 14,5 cm



Sollievo B845

NOTES