


DioscURI parete/soffitto 14

Michele De Lucchi



IP44    Dimmerable: 



LUMINAIRE *

- Watt: **5W**
- Voltage: **220V-240V**
- Delivered lumen output: **353lm**
- Efficiency: **75%**
- Efficacy: **70.58lm/W**
- CRI: **80**

* Photometric data may vary depending on the source installed.
Light measurements are provided in relative form and technical
lighting calculations may be updated according to the effective
source used.

Notes

DESCRIPTION

The simple geometric shape of the spherical diffuser makes this an iconic product and ensures uniform diffusion of light through the acid-etched blown glass. The 25, 35 and 42 cm versions are also suitable for outdoor use.

FEATURES

- Product Code: **1039110A**
- Colour: **White**
- Installation: **Wall, Ceiling**
- Material: **Technopolymer lamp body, blown frosted glass diffuser with acid-etching treatment.**
- Series: **Design Collection, Architectural Outdoor**
- Area contract: **Hospitality, null, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi**

DIMENSIONS

- Height: **132 mm**
- Diameter: **140 mm**

SOURCES NOT INCLUDED


- Category: **LED RETROFIT**
- Number: **1**
- Watt: **6W**
- Socket: **E14**

Dioscuri wall/ceiling 35

Michele De Lucchi



IP65      Dimmerable: 



LUMINAIRE *

- Watt: **21W**
- Voltage: **220V-240V**
- Delivered lumen output: **2186lm**
- Efficiency: **89%**
- Efficacy: **104.07lm/W**
- CRI: **80**

* Photometric data may vary depending on the source installed. Light measurements are provided in relative form and technical lighting calculations may be updated according to the effective source used.

Notes

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

DESCRIPTION

The simple geometric shape of the spherical diffuser makes this an iconic product and ensures uniform diffusion of light through the acid-etched blown glass. The 25, 35 and 42 cm versions are also suitable for outdoor use.

FEATURES

- Product Code: **0116010A**
- Colour: **White**
- Installation: **Ceiling, Wall**
- Material: **Technopolymer lamp body, blown frosted glass diffuser with acid-etching treatment.**
- Series: **Design Collection, Architectural Outdoor**
- Area contract: **Hospitality, null, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi**

DIMENSIONS

- Height: **340 mm**
- Diameter: **350 mm**
- Impact Resistance: **N.D.**
- Glow Wire Test: **850°**

SOURCES NOT INCLUDED


- Category: **LED RETROFIT**
- Number: **1**
- Watt: **12W**
- Socket: **E27**

Dioscuri wall/ceiling 42

Michele De Lucchi



IP65      Dimmerable: 



LUMINAIRE *

- Watt: **21W**
- Voltage: **220V-240V**
- Delivered lumen output: **2186lm**
- Efficiency: **89%**
- Efficacy: **104.07lm/W**
- CRI: **80**

* Photometric data may vary depending on the source installed.
Light measurements are provided in relative form and technical lighting calculations may be updated according to the effective source used.

Notes

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

DESCRIPTION

The simple geometric shape of the spherical diffuser makes this an iconic product and ensures uniform diffusion of light through the acid-etched blown glass. The 25, 35 and 42 cm versions are also suitable for outdoor use.

FEATURES

- Product Code: **0117010A**
- Colour: **White**
- Installation: **Ceiling, Wall**
- Material: **Technopolymer lamp body, blown frosted glass diffuser with acid-etching treatment.**
- Series: **Design Collection, Architectural Outdoor**
- Area contract: **Hospitality, null, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi**

DIMENSIONS

- Height: **420 mm**
- Diameter: **420 mm**
- Impact Resistance: **N.D.**
- Glow Wire Test: **850°**

SOURCES NOT INCLUDED


- Category: **LED RETROFIT**
- Number: **1**
- Watt: **12W**
- Socket: **E27**

Dioscuri wall/ceiling 25

Michele De Lucchi



IP65       Dimmerable: 



LUMINAIRE *

- Watt: **12W**
- Voltage: **220V-240V**
- Delivered lumen output: **1356lm**
- CCT: **2700K**
- Efficiency: **89%**
- Efficacy: **112.97lm/W**
- CRI: **80**

* Photometric data may vary depending on the source installed.
Light measurements are provided in relative form and technical
lighting calculations may be updated according to the effective
source used.

Notes

Lamp not included. The IP 65 degree of protection makes it also
suitable for outdoor application.

DESCRIPTION

The simple geometric shape of the spherical diffuser makes
this an iconic product and ensures uniform diffusion of light
through the acid-etched blown glass. The 25, 35 and 42 cm
versions are also suitable for outdoor use.

FEATURES

- Product Code: **0112010A**
- Colour: **White**
- Installation: **Wall, Ceiling**
- Material: **Technopolymer lamp body, blown
frosted glass diffuser with acid-etching
treatment.**
- Series: **Design Collection, Architectural Outdoor**
- Area contract: **Hospitality, null, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi**

DIMENSIONS

- Height: **230 mm**
- Diameter: **250 mm**
- Impact Resistance: **N.D.**
- Glow Wire Test: **850°**

SOURCES NOT INCLUDED

- Category: **LED RETROFIT**
- Number: **1**
- Watt: **12W**
- Socket: **E27**